



# Quebec Ultra Lites Mini Modified

## 1350 lbs – 1500 lbs

---

### Regulations

1. For any new modification to the rules or for a new class, you'll need the committee's authorization, otherwise you could be banned.
2. You must be 16 years old to drive a tractor.
3. A certified snowmobile or motorcycle helmet must be worn at all times while riding your tractor.
4. The driver must remain in constant contact with the seat.
5. The driver must obey the flagman's signals at all times. He must look forward when pulling.
6. The tractor must remain within the corridor (yellow lines) at all times, even after a complete pull.
7. The maximum weight of the tractor with the driver in the 0 to 750 cc. class is 1,350 lbs.
8. Maximum weight of tractor with driver in class 751 to 1500 cc. is 1,500 lbs.
9. The maximum weight of the tractor with a driver in the "two-engine" class is 1,500 lbs.
10. There is a maximum grace of 5 lbs. above the regulation weight for each class.
11. Tractors with two engines must have a partial hood and dashboard.
12. The driver is entitled to two test starts within 50 feet. The driver must start from where he left off, without moving the tractor (to fill holes), within 2 minutes.
13. In the event of mechanical failure within 50 feet, the driver may return before the end of the trial.
14. **The consumption of alcohol or drugs is forbidden before and during the competition.**
15. Minimum 2" Diameter, hitch hole
  - Maximum hitch height 14 inches
  - NO BALL HITCHES ALLOWED
16. All tractors must be fitted with a motorcycle engine, a maximum of 1500 cc (large class). In the two-engine class, the total of the two engines must not exceed 1500 cc. Turbos and blowers are not permitted.



## **Quebec Ultra Lites Mini Modified 1350 lbs – 1500 lbs**

---

17. All tractors must be fitted with a functional kill switch installed at the rear, top (above the weights), and center of the tractor. The action of the kill switch must not be impeded by any restraint system. (Tape, Tie Rap, Pin, etc...).
18. Tires must have a maximum height of 26 inches, written on the tire.
19. All tractors must be equipped with wheelie bars, a minimum of 5" long and a maximum of 5" from the ground.
20. Weights added to balance tractors must not exceed the center of the front and rear axles by 24 inches, and must remain attached to the tractor at all times, under penalty of disqualification.
21. No injection is permitted (nitro, alcohol, etc.).
22. All tractors must be equipped with brakes.
23. Automatic transmissions are not permitted.
24. No sandals or open shoes are allowed. Drivers must wear long pants. A jersey or camisole must be worn.
25. A team may change drivers during a competition, but points will not be accumulated.
26. Exhaust pipes must be vertical, with a minimum length of 15 inches. They must not be located at the rear of the tractor, so as not to harm the tractor operator (exhaust, burns). Ideally, they should be located on the side of the tractor.
27. Drivers will respect the decisions of officials without criticizing or disrespecting them.
28. Competitors must arrive at the event site two hours before the start of the event. Competitors will have only one chance to arrive late. The second time they will be allowed to pull, but will not have the right to a purse. As soon as they arrive, competitors must notify the officials of their presence. If a competitor arrives at a competition and the starting positions have already been distributed, he or she will be given a starting position after the others.
29. A tractor may not be entered more than once in a competition.
30. Tractors must have four (4) wheels and be powered by two wheels only.
31. All drive chains must be fitted with a guard.



## **Quebec Ultra Lites Mini Modified**

### **1350 lbs – 1500 lbs**

---

32. Fire extinguisher required at 2 lbs minimum fully charged on board in reach of operator. A functional gauge on all fire extinguishers is required.
33. The driver must have one hand in contact with the steering wheel or throttle at all times.
34. Hitch height is maximum 14”.
35. All general and safety rules apply.